
Subject: Handling YahooGroups messages

Posted by [Kpauley](#) on Mon, 12 Jun 2006 20:28:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Looking for a good method to handle yahoogroup messages that are sent to my mailboxes.

Messages come in on behalf of the sender to the yahoogroup. The X-Sender is the person that sent the message to the group, not the yahoogroup address. So doing a whitelist entry for *.yahoogroups.com does not help in this situation.

What is an effective method for allowing all the yahoogroups messages into my domains?

Ken

Subject: Re: Handling YahooGroups messages

Posted by [support](#) on Tue, 13 Jun 2006 13:08:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Add a header rule with a negative score to your local.cf file. Something like this:

```
header YAHOO_X_SENDER X-Sender =~ /senderaddress/i
describe YAHOO_X_SENDER X-Sender is whitelisted
score YAHOO_X_SENDER -100
```

Subject: Re: Handling YahooGroups messages

Posted by [Kpauley](#) on Tue, 13 Jun 2006 14:06:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

If I am understanding this right you are suggesting that I use a filter on the header info to white list based on the X-Sender. However, the X-Sender is different all the time so this would not work. Subject might be better? Are there other items that may be good in the header? I'd like to wild card as well because there are several yahoo groups.

Could I do

```
header Yahoo_X_Apparently X-Apparently-To = ~/@yahoogroups.com/i
describe Yahoo_X_Apparently X-Apparently-To is whitelisted
score Yahoo_X_Apparently -100
```

and is that the right syntax to wildcard?

I put a sample header below.

Received: from n20a.bullet.scd.yahoo.com ([66.94.237.49])
by 71.5.55.184.ptr.us.xo.net ([71.5.55.184], envelope-sender=)
with No Spam Today! Service V2.3.4.1 25 Recipients
for mail.pauley.org; Mon, 12 Jun 2006 21:06:03 -0700
Comment: DomainKeys? See <http://antispam.yahoo.com/domainkeys>
DomainKey-Signature: a=rsa-sha1; q=dns; c=noaws; s=lima; d=yahoogroups.com;
b=JcKSqDsg7z0JwYXuLvSiiYSVNFFsH2uqIQVEsA6mInfZAcRMI7x0aViz58//mZercBwn5IMJ/z63
PokYF3HTnLSgvVHU10uGL1WHfo3O/cN/lkmcQPrwmDPHsaJ73C/c;
Received: from [66.218.69.1] by n20.bullet.scd.yahoo.com with NNFMP; 13 Jun 2006 04:06:03
-0000
Received: from [66.218.66.29] by t1.bullet.scd.yahoo.com with NNFMP; 13 Jun 2006 04:06:03
-0000
X-Yahoo-Newman-Property: groups-email
X-Yahoo-Newman-Id: 1851076-m20121
X-Sender: address@yahoo.com
X-Apparently-To: herdclub@yahoogroups.com
Received: (qmail 12380 invoked from network); 13 Jun 2006 03:39:07 -0000
Received: from unknown (66.218.66.167)
by m23.grp.scd.yahoo.com with QMQP; 13 Jun 2006 03:39:07 -0000
Received: from unknown (HELO n31a.bullet.scd.yahoo.com) (209.73.160.90)
by mta6.grp.scd.yahoo.com with SMTP; 13 Jun 2006 03:39:07 -0000
Received: from [66.218.69.1] by n31.bullet.scd.yahoo.com with NNFMP; 13 Jun 2006 03:37:49
-0000
Received: from [66.218.66.76] by t1.bullet.scd.yahoo.com with NNFMP; 13 Jun 2006 03:37:49
-0000
To: herdclub@yahoogroups.com
Message-ID:
In-Reply-To:
User-Agent: eGroups-EW/0.82
X-Mailer: Yahoo Groups Message Poster
X-Originating-IP: 209.73.160.90
X-eGroups-Msg-Info: 1:6:0:0
X-Yahoo-Post-IP: 68.253.204.27
From: "address"
X-Yahoo-Profile: address
Sender: herdclub@yahoogroups.com
MIME-Version: 1.0
Mailing-List: list herdclub@yahoogroups.com; contact herdclub-owner@yahoogroups.com
Delivered-To: mailing list herdclub@yahoogroups.com
List-Id:
Precedence: bulk
List-Unsubscribe:
Date: Tue, 13 Jun 2006 03:37:47 -0000

Subject: [The HERD] Re: 4 SALE
Reply-To: herdclub@yahoogroups.com
Content-Type: multipart/alternative;
boundary="upQDoCHwT7rXrEXH1EFkeLU-rvY1LwaMM1PgFKT"

Subject: Re: Handling YahooGroups messages

Posted by [support](#) on Wed, 14 Jun 2006 08:04:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Looks good, just give it a try. Here are some Internet resources you can also consult:

<http://www.rulesemporium.com/>

<http://wiki.apache.org/spamassassin/>

<http://www.anaesthetist.com/mnm/perl/regex.htm>
