
Subject: NST 3.1.4.2

Posted by [mhcomp](#) on Fri, 31 Jul 2009 11:22:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have a company with NoSpamToday version 3.1.4.2 installed and there is a problem with SpamAssassin.

All emails not in the Whitelist are being marked as Spam. I have cleanly re-installed NST to no avail as the same problem is occurring.

Most of the emails getting marked contain the following rule ...

Contains an URI of a new domain (Day Old Bread)

If I read that correctly it means domains created within 24 hours, which is clearly not the case on so many emails.

Any help would be appreciated here.

Subject: Re: NST 3.1.4.2

Posted by [support](#) on Fri, 31 Jul 2009 11:51:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

> I have a company with NoSpamToday version 3.1.4.2 installed and
> there is a problem with SpamAssassin.

>

> All emails not in the Whitelist are being marked as Spam. I
> have cleanly re-installed NST to no avail as the same problem
> is occurring.

>

> Most of the emails getting marked contain the following rule

> ...

>

> Contains an URI of a new domain (Day Old Bread)

>

> If I read that correctly it means domains created within 24
> hours, which is clearly not the case on so many emails.

>

> Any help would be appreciated here.

To deactivate the Day Old Bread checks completely, please add these lines to your user_prefs file (located in the sa/ruleset folder):

```
score RCVD_IN_DOB 0
```

```
score URIBL_RHS_DOB 0
```

```
score DNS_FROM_DOB 0
```

Subject: Re: NST 3.1.4.2

Posted by [mhcomp](#) on Wed, 05 Aug 2009 08:38:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

The changes have not worked as suggested above. I have located the user_prefs file in the sa\ruleset folder and amended accordingly and it now contains the following ...

```
# SpamAssassin user preferences file. See 'perldoc Mail::SpamAssassin::Conf'
# for details of what can be tweaked.
#*
#* Note: this file is not read by SpamAssassin until copied into the user
#* directory. At runtime, if a user has no preferences in their home directory
#* already, it will be copied for them, allowing them to perform personalised
#* customisation. If you want to make changes to the site-wide defaults,
#* create a file in /etc/spamassassin or /etc/mail/spamassassin instead.
#####

score RCVD_IN_DOB 0
score URIBL_RHS_DOB 0
score DNS_FROM_DOB 0
```

Today my client is still receiving emails with the rule intact ...

```
-0.0 SPF_PASS           SPF: sender matches SPF record
0.6 J_CHICKENPOX_22     BODY: 2alpha-pock-2alpha
0.6 J_CHICKENPOX_42     BODY: 4alpha-pock-2alpha
0.6 J_CHICKENPOX_54     BODY: 5alpha-pock-4alpha
3.5 URIBL_RHS_DOB       Contains an URI of a new domain (Day Old Bread)
                        [URIs: enough.so]
0.0 URIBL_RED           Contains an URL listed in the URIBL redlist
                        [URIs: rulive.nl]
0.3 URIBL_GREY         Contains an URL listed in the URIBL greylist
                        [URIs: rulive.nl]
6.0 URIBL_BLACK        Contains an URL listed in the URIBL blacklist
                        [URIs: rulive.nl]
0.0 HTML_MESSAGE       BODY: HTML included in message
1.8 MIME_QP_LONG_LINE  RAW: Quoted-printable line longer than 76 chars
```

Subject: Re: NST 3.1.4.2

Posted by [support](#) on Wed, 05 Aug 2009 08:57:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
> The changes have not worked as suggested above. I have located
> the user_prefs file in the sa\ruleset folder and amended
> accordingly and it now contains the following ...
>
> score RCVD_IN_DOB 0
```

> score URIBL_RHS_DOB 0
> score DNS_FROM_DOB 0
>
> Today my client is still receiving emails with the rule intact

Please rename the user_prefs file to user_prefs.cf.
