
Subject: SMTP Client mail scanned

Posted by [mhmckee](#) on Mon, 10 Jan 2005 18:37:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

ver. 2.0.3.2

I have POP3/SMTP clients complaining that it takes a long time to send messages to users in the domain, and I see in the NST log that delays of up to 30 seconds are happening because the messages are being scanned.

Any possibility you can add feature to disable scanning where authentication successful AND mailer domain=recipient domain?

Subject: Re: SMTP Client mail scanned

Posted by [support](#) on Tue, 11 Jan 2005 16:56:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

mhmckee wrote:

> ver. 2.0.3.2

>

> I have POP3/SMTP clients complaining that it takes a long
> time to send messages to users in the domain, and I see in the
> NST log that delays of up to 30 seconds are happening because
> the messages are being scanned.

The mail clients in your company/organization should connect to the mail server directly and not via the NoSpamToday! proxy. This avoids scanning outgoing mails for spam.

> Any possibility you can add feature to disable scanning where
> authentication successful AND mailer domain=recipient domain?

I added this to the feature wish list for NoSpamToday!.

Subject: Re: SMTP Client mail scanned

Posted by [mhmckee](#) on Tue, 11 Jan 2005 19:35:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks re: wishlist, but it seems unnecessary in light of your suggestion. I added a second IP address to the server, and configured SMTP service to run on it at port 25 for authenticated users

only. Should solve our problem.

Thanks for the reply- got me thinking.
