
Subject: nod32 - ecls

Posted by [luka.obernsnu](#) on Tue, 25 Aug 2009 11:11:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi, we are running Nod32 v3.0.684 on our Windows 2003 server with CleanMail v4.0.3.1.

We're trying to configure Nod32 (ecls) to scan incoming mails for viruses. Command line looks like this:

```
%SCANNER% /base-dir="C:\Program Files\ESET\ESET NOD32 Antivirus" /arch /no-boots /mail /sfx /adware /heur /action=none /log-file=%ERR% %IN%
```

Result is:

```
...
Aug 25, 2009, 12:57:21 Session 1000: (NOD32 Antivirus) Total:      files - 1, objects 2
Aug 25, 2009, 12:57:21 Session 1000: (NOD32 Antivirus) Infected:  files - 1, objects 1
Aug 25, 2009, 12:57:21 Session 1000: (NOD32 Antivirus) Cleaned:   files - 0, objects 0
Aug 25, 2009, 12:57:21 Session 1000: (NOD32 Antivirus)
Aug 25, 2009, 12:57:21 Session 1000: (NOD32 Antivirus) Filter result is accept/deliver (unknown result)
```

Emails are delivered no matter if they contain viruses!

Does someone have any idea how to solve this?

Subject: Re: nod32 - ecls

Posted by [luka.obernsnu](#) on Wed, 09 Sep 2009 07:25:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

We finally found a solution.

With PATH system variable:

```
%SCANNER% /arch /no-boots /mail /sfx /adware /heur /action=clean /log-file="%ERR%" "%IN%"
```

Without system variable:

```
%SCANNER% /base-dir="C:\Program Files\ESET\ESET NOD32 Antivirus" /arch /no-boots /mail /sfx /adware /heur /action=clean /log-file="%ERR%" "%IN%"
```

L.
