

---

Subject: RBL

Posted by [bhealy](#) on Thu, 01 Jul 2004 16:37:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Has anyone had any luck using RBL? Specifically, I'm thinking about using ORDB. Is it as simple as running the No Spam Today! admin wizard and entering relays.ordb.org as the dns server?

---

---

Subject: Re: RBL

Posted by [support](#) on Fri, 02 Jul 2004 08:03:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

> Has anyone had any luck using RBL? Specifically, I'm thinking  
> about using ORDB. Is it as simple as running the No Spam Today!  
> admin wizard and entering relays.ordb.org as the dns server?

The DNS server is the server SpamAssassin uses to look up the IP address for a hostname, it has nothing to do with open relay databases. If empty, the admin wizard guesses which DNS server to use (usually taking the setting of the TCP/IP protocol settings of your system). **DON'T EVER SPECIFY AN RBL SERVER HERE!**

The RBL checks are defined in the SpamAssassin's ruleset file 20\_dnsbl\_tests.cf. ORDB seems not to be one of them, maybe their database can't be queried by SpamAssassin.

The bottom line is, if you do not check 'skip rbl checks', and if the DNS server you specify is indeed a DNS server, RBL checking works.

Type 'nslookup' in a command line window to find the address of your DNS server.

---